

Read enclosed leaflet before use. **उपयोग से पहले संलग्न लीफलेट पढ़ें।** ఉపయోగమునకు ముందు జతపరచిన కరెస్పాండెన్సు చదవండి.

ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% ఎ.ఎస్. కీటకహరణ
ఈ పాత్రము పుష్పములను పుష్పాదరక 4% ... 4.00% బా/బా, ఎసిటామిప్రిడ్ 4% ... 4.00% బా/బా, స్టేబిలైజర్లు: Sunflower oil ... 5.00% w/w, Emulsifier: Blend of modified polyethanoxyl ether and of sulfated anionic surfactant ... 8.00% w/w, Sticking/Stabilizing agent: Formaldehyde... 0.50% w/w, Anti foaming agent: Silicon defoamer... 0.20% w/w, Solvent: Water ... Q.S. %, Total ... 100.00 % w/w. Direction of Use : Please read enclosed leaflet before use.
Precaution: Protective clothing should be worn while mixing and spraying. wash contaminated clothes and body part after application. Avoid inhalation. Do not smoke, drink, eat and chew anything during application. Symptoms : Please read enclosed leaflet before use. First Aid : Skin contact: Wash material off the skin in flowing water or shower with soap. Irritation, pain & redness persists, consult a physician. Eye contact : Immediately flush with sufficient amount of water for atleast 15 minutes. If irritation pain & redness persists, consult a physician immediately. Inhalation: Remove the victim to fresh air and keep him warm water and quiet. If not breathing is difficult give mouth to mouth respiration or give oxygen. Get medical attention immediately. Ingestion: Do not induce vomiting unless told to by doctor. Do not give anything to an unconscious person. Antidote : No specific antidote is known. Treat Symptomatically. Recommendation : It should be applied as foliar spray for the control of aphids, jassids, and whiteflies as soon as they appear on the cotton crop. Caution: Not to be used on crops other than specified on this label/leaflet.

రసాయనిక సంఘటన: ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% ఎ.ఎస్. (కీటకహరణ)
రసాయనిక సంఘటన: ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% ఎ.ఎస్. (కీటకహరణ) ... 4.00% w/w, Emulsifier: Blend of modified polyethanoxyl ether and of sulfated anionic surfactant ... 8.00% w/w, Sticking/Stabilizing agent: Formaldehyde... 0.50% w/w, Anti foaming agent: Silicon defoamer... 0.20% w/w, Solvent: Water ... Q.S. %, Total ... 100.00 % w/w. Direction of Use : Please read enclosed leaflet before use.
Precaution: Protective clothing should be worn while mixing and spraying. wash contaminated clothes and body part after application. Avoid inhalation. Do not smoke, drink, eat and chew anything during application. Symptoms : Please read enclosed leaflet before use. First Aid : Skin contact: Wash material off the skin in flowing water or shower with soap. Irritation, pain & redness persists, consult a physician. Eye contact : Immediately flush with sufficient amount of water for atleast 15 minutes. If irritation pain & redness persists, consult a physician immediately. Inhalation: Remove the victim to fresh air and keep him warm water and quiet. If not breathing is difficult give mouth to mouth respiration or give oxygen. Get medical attention immediately. Ingestion: Do not induce vomiting unless told to by doctor. Do not give anything to an unconscious person. Antidote : No specific antidote is known. Treat Symptomatically. Recommendation : It should be applied as foliar spray for the control of aphids, jassids, and whiteflies as soon as they appear on the cotton crop. Caution: Not to be used on crops other than specified on this label/leaflet.

ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% (కీటకహరణ)
ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% (కీటకహరణ) ... 4.00% w/w, Emulsifier: Blend of modified polyethanoxyl ether and of sulfated anionic surfactant ... 8.00% w/w, Sticking/Stabilizing agent: Formaldehyde... 0.50% w/w, Anti foaming agent: Silicon defoamer... 0.20% w/w, Solvent: Water ... Q.S. %, Total ... 100.00 % w/w. Direction of Use : Please read enclosed leaflet before use.
Precaution: Protective clothing should be worn while mixing and spraying. wash contaminated clothes and body part after application. Avoid inhalation. Do not smoke, drink, eat and chew anything during application. Symptoms : Please read enclosed leaflet before use. First Aid : Skin contact: Wash material off the skin in flowing water or shower with soap. Irritation, pain & redness persists, consult a physician. Eye contact : Immediately flush with sufficient amount of water for atleast 15 minutes. If irritation pain & redness persists, consult a physician immediately. Inhalation: Remove the victim to fresh air and keep him warm water and quiet. If not breathing is difficult give mouth to mouth respiration or give oxygen. Get medical attention immediately. Ingestion: Do not induce vomiting unless told to by doctor. Do not give anything to an unconscious person. Antidote : No specific antidote is known. Treat Symptomatically. Recommendation : It should be applied as foliar spray for the control of aphids, jassids, and whiteflies as soon as they appear on the cotton crop. Caution: Not to be used on crops other than specified on this label/leaflet.

ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% అనుసూచిత జాతి (కీటకహరణ)
రసాయనిక రచన: ఫిప్రోనిల్ 4% + ఎసిటామిప్రిడ్ 4% అనుసూచిత జాతి (కీటకహరణ) ... 4.00% w/w, Emulsifier: Blend of modified polyethanoxyl ether and of sulfated anionic surfactant ... 8.00% w/w, Sticking/Stabilizing agent: Formaldehyde... 0.50% w/w, Anti foaming agent: Silicon defoamer... 0.20% w/w, Solvent: Water ... Q.S. %, Total ... 100.00 % w/w. Direction of Use : Please read enclosed leaflet before use.
Precaution: Protective clothing should be worn while mixing and spraying. wash contaminated clothes and body part after application. Avoid inhalation. Do not smoke, drink, eat and chew anything during application. Symptoms : Please read enclosed leaflet before use. First Aid : Skin contact: Wash material off the skin in flowing water or shower with soap. Irritation, pain & redness persists, consult a physician. Eye contact : Immediately flush with sufficient amount of water for atleast 15 minutes. If irritation pain & redness persists, consult a physician immediately. Inhalation: Remove the victim to fresh air and keep him warm water and quiet. If not breathing is difficult give mouth to mouth respiration or give oxygen. Get medical attention immediately. Ingestion: Do not induce vomiting unless told to by doctor. Do not give anything to an unconscious person. Antidote : No specific antidote is known. Treat Symptomatically. Recommendation : It should be applied as foliar spray for the control of aphids, jassids, and whiteflies as soon as they appear on the cotton crop. Caution: Not to be used on crops other than specified on this label/leaflet.

Aegis Empire

FIPRONIL 4% + ACETAMIPRID 4% SC INSECTICIDE



FIPRONIL 4% + ACETAMIPRID 4% SC - INSECTICIDE
Chemical Composition : Fipronil a.i. ... 4.00% w/w, Acetamiprid a.i. ... 4.00% w/w, Stabilizers: Sunflower oil ... 5.00% w/w, Emulsifier: Blend of modified polyethanoxyl ether and of sulfated anionic surfactant ... 8.00% w/w, Sticking/Stabilizing agent: Formaldehyde... 0.50% w/w, Anti foaming agent: Silicon defoamer... 0.20% w/w, Solvent: Water ... Q.S. %, Total ... 100.00 % w/w. Direction of Use : Please read enclosed leaflet before use.
Precaution: Protective clothing should be worn while mixing and spraying. wash contaminated clothes and body part after application. Avoid inhalation. Do not smoke, drink, eat and chew anything during application. Symptoms : Please read enclosed leaflet before use. First Aid : Skin contact: Wash material off the skin in flowing water or shower with soap. Irritation, pain & redness persists, consult a physician. Eye contact : Immediately flush with sufficient amount of water for atleast 15 minutes. If irritation pain & redness persists, consult a physician immediately. Inhalation: Remove the victim to fresh air and keep him warm water and quiet. If not breathing is difficult give mouth to mouth respiration or give oxygen. Get medical attention immediately. Ingestion: Do not induce vomiting unless told to by doctor. Do not give anything to an unconscious person. Antidote : No specific antidote is known. Treat Symptomatically. Recommendation : It should be applied as foliar spray for the control of aphids, jassids, and whiteflies as soon as they appear on the cotton crop. Caution: Not to be used on crops other than specified on this label/leaflet.

Reg.No.:CIR-141663/2017-Fipronil+Acetamiprid (SC) (377)-1216
Mfg. Lic. No. :019/TS-IML/2016 Dt. 23-7-2016

Manufactured & Marketed by :
Aegis™
Agro Chemicals India Private Limited
AN ISO 9001 : 2015 CERTIFIED COMPANY
#237, Main Road, Mallepally (V), Kondapur (M),
Sangareddy Dist - 502295. Telangana State.
In Case of any Consumer Complaints Contact,
"Manager Customer Care" Cell No.: +91 84890 99536
Email : aegisagrochemicals@gmail.com | Website : www.aegisagro.in
(Address as of Aegis Agro Sangareddy Dist, T.S.)

Net Content / कुल भार : 1 Litre
Batch No./ बॅच नं :
Date of Mfg./ निर्माण तिथि :
Date of Exp./ उपयोग की आखरी तिथि :
Max.Retail Price : ₹.
(Inclusive of all taxes)
अधिक विक्री दाम : (सबं चुंगी के सहित) रु :

For Agricultural Use Only
Keep in cool, dry place away from heat and open flame. ठंडी, शुष्क जगह में गर्मी और खुली लौ से दूर रखें।
EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE
Keep in cool, dry place away from heat and open flame. ठंडी, शुष्क जगह में गर्मी और खुली लौ से दूर रखें।
EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE

