Aegis
M-45
MANCOZEB 75% W.P.

Read enclosed leaflet before use. उपयोग से पहले संलग्न लीफलेट पढ़ें।

ಏಜಿಸ್ ಯಂ-45 - ಮಾಂಕೊಜೆಬ್ 75% ಡಬ್ಲ್ಯೂಪಿ. (ಸ್ಪರ್ಶಚರ್ಮಗಳ ಶಿಲೀಂಧ್ರನಾಶಿ)

ಎಜೀಸ ಎಮ-೪೫ - ಮೈಕೋಜೆಬ ೭೫% ಡಬ್ಲ್ಯು.ಪಿ. (ಸ್ಪರ್ಶೀಯ ಫಫೂಂದೀನಾಶಕ)

ಏಜಿಸ್ ಎಂ-45 - ಮಂಕೊಂಜೆಬ್ 75% ಡಬ್ಲ್ಯೂ.ಪಿ. (ಸ್ಪರ್ಶೀಯ ಶಿಲೀಂಧ್ರನಾಶಕ)

ஏஜிஸ் எம்45 - மாங்கோசெப் 75% எடை பூஞ்சைக் கொல்லி

For Agricultural Use Only

Keep in cool, dry place away from heat and open flame. गर्मी, धूप तथा खुले में नमी और खुली लौ से दूर रखें।

EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE

Aegis
M-45
MANCOZEB 75% W.P.



Aegis
M-45
MANCOZEB 75% W.P.

Aegis M-45 - Mancozeb 75% WP - Fungicide

Chemical Composition : Mancozeb technical (Based on 85% w/w a.i.) ... 88.23% w/w, Suspending Agent (Gum) ...2.00% w/w, Dispersing Agent (Alkyl naphthyl sulphonate) ... 2.00% w/w, Surface active agent : Sodium salt of alkyl aryl sulphonate ... 2.00% w/w, China Clay : 5.77 % w/w, Total : 100.00 % w/w. **Direction of Use :** Please read enclosed leaflet before use. **Precautions :** Caution : While handling the fungicide workers and users must wear full protective clothing like long sleeved shirts, long pants, chemical resistant gloves, shoes, goggles, hat and mask. **Precautions :** 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation of the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **First Aid :** If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clear water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air. Symptoms : Itching, tightness in chest, palpitation, hypotension, Nausea, vomiting, diarrhoea, Hypothermia and ataxia may occur. **Recommendations :** It is used to control brown and black rust & blight of wheat, leaf blight & downy mildew of maize blast of paddy, leaf spot of sorghum. Tip rot, Sigatoka leaf spot and cigar end rot of banana and other fungal disease of guava potato, tomato, apple, grapes, chilli, cauliflowers, groundnut and cumin crops. **Caution : "Not to be used on Crops other than specified on this label/leaflet".**

Regn No.:
CIR-185708/2021-Mancozeb (WP) (428)-1081
Mfg. Lic. No. :019/TS-IML/2016 Dt. 23-7-2016

Manufactured & Marketed by :

Aegis™
Agro Chemicals India Private Limited
AN ISO 9001 : 2015 CERTIFIED COMPANY
237, Main Road, Mallepally (V), Kondapur (M),
Sangareddy Dist - 502295. Telangana State.

In Case of any Consumer Complaints Contact,
"Manager Customer Care" Call No.: +91 84989 09936
Email : aegisagrochemicals@gmail.com
Website : www.aegisagra.in
(Address as of Aegis Agro Sangareddy Dist. T.S.)

Keep out of reach of children. सावधान CAUTION

Net Weight : **1kg**
उतशुद्ध सामग्री :
Batch No :
बैच नं. :
Mfg.Date :
उत्पादन तिथि :
Exp.Date :
निष्प्रभावी होने का तिथि:
Max.Retail.Price ₹ :
अधिकतम खुदरा मूल्य ₹ :
(Inclusive of all taxes)
(सभी करों सहित)