

Read enclosed leaflet before use. उपयोग से पहले संलग्न सीललेट पढ़ें। ఉపయోగించుటకు ముందు అతిపరచిన కరెస్పాండెన్స్ చదవండి.

AG-MIX - Metsulfuron Methyl 10% + Chlorimuron Ethyl 10% WP (Herbicide) Chemical Composition:
 Metsulfuronmethyl a.s. - 10.00% w/w, Chlorimuron Ethyl a.s. - 10.00% w/w, Modified Sodium Lignosulphonate - 8.00% w/w, Mixture of Sulfated Alkyl carboxylate and Sodium Alkyl Naphthalene Sulfonate - 1.00% w/w, Synthetic Amorphous Silica - 2.00% w/w, Sodium Bicarbonate - 69.00% w/w, Total - 100.00% w/w. **Direction of Use:** Please see enclosed leaflet before use. **Precautions:** 1. Read and follow all instructions on the label and leaflet very carefully. Keep the container with label to show to the physician in case of accidental poisoning. 2. Do not inhale the contents. Wear rubber gloves, goggles, face mask and protective clothing while handling. Avoid remaining in drift of spray by applying the herbicide with the wind. 3. Do not eat, drink, smoke or chew betel leaves while spraying. 4. Do not fill the spray tank beyond 3/4th of its capacity. Clean the sprayer nozzle by a fine wire or brush never by blowing the same. 5. In case of any spillage on the body it should be washed with plenty of water and soap. 6. Always change clothings and take a bath as soon as herbicidal treatment is completed. 7. Call a physician immediately if any symptoms of poisoning appear in a person who is using or has recently used the herbicide. **Antidote:** No specific antidote is known. Treat symptomatically. **First Aid:** 1. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. 2. In case of contact with eyes, immediately flush with water for at least 15 minutes. Call a physician. 3. If on skin, wash with plenty of soap and water. Wash contaminated clothing before reuse. 4. If swallowed, immediately give 2 glasses of water and induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. **Symptoms:** Eye contact may initially cause eye irritation with discomfort, tearing and blurring of vision. Repeated dermal exposure may lead to skin irritation with discomfort or rash. **Recommendations:** It is a broad spectrum herbicide effective for the control of different broad leaf weeds and sedges in transplanted and direct seeded rice (under puddled conditions). **Caution:** Not to be used on crops other than specified on this label/leaflet.

In Case of any Consumer Complaints Contact: - "Manager Customer Care" Call No.: +91 8488 58535 | Email: aegisagrochemicals@gmail.com | Website: www.aegisagro.in
AEGIS AGRO CHEMICALS INDIA PRIVATE LIMITED # 237, Main Road, Malapally (T), Kandapur (M), Sangareddy Dist - 502305, Telangana State

Aegis

AG MIX

Metsulfuron Methyl 10% w/w + Chlorimuron Ethyl 10% WP

Herbicide




Net Weight : 8g.

A product of **AEGIS**

Regn.No / రెగి.నె. : CIR-269743/2023-Metsulfuron Methyl + Chlorimuron Ethyl (WP) (444)-253
 Mfg.Lic.No / తయారీ లైసెన్స్.నె. : 019/TS-IML/2016 Dt. 23-7-2016

Manufactured & Marketed by:

Aegis™

Agro Chemicals India Private Limited
 AN ISO 9001 : 2015 CERTIFIED COMPANY
 # 237, Main Road, Malapally (T), Kandapur (M), Sangareddy Dist - 502305, Telangana State.



Net Weight / నెట్ వైట్ : **8g.**
 Batch No / బాచ్ నెం. : _____
 Mfg. Date / తయారీ తేదీ : _____
 Exp. Date / ముత్యం తేదీ : _____
 Max. Retail Price ₹ / అత్యధిక వ్యాపక ధర ₹ : _____
 (inclusive of all taxes) / (అన్ని టాక్స్ సహా)
 Unit Sale Price Per gm ₹ : _____
 గ్రామీణ వ్యాపక ధర ₹ : _____