

Read enclosed leaflet before use. उपयोग से पहले संलग्न लीफलेट पढ़ें। ఉపయోగమునుపడు ముందు జతచేసిన కరచిత్రమును చదవండి.

### DEMAND-Diafenthiuron 47% + Bifenthrin 9.4% SC Insecticide

**Chemical Composition :** Diafenthiuron a.i. ... 47.00% w/w, Bifenthrin a. i. ... 9.40% w/w, Polydimethylsiloxane emulsion Antifoam ... 0.63% w/w, Polydimethylsiloxane oil Antifoam ... 0.33% w/w, Isothiazolinones Preservative ... 0.19% w/w, Butyl Block Copolymer Dispersant ... 1.51% w/w, Isotridecyl alcohol ethoxylate Surfactant ... 2.36% w/w, Acrylic copolymer solution Dispersant ... 4.72% w/w, Propylene Glycol Antifreeze ... 2.92% w/w, Xanthan gum Viscosity modifier ... 0.09% w/w, Water Solvent ... Q.S., Total ... 100.000% w/w. **Direction Of Use:** Please read enclosed leaflet before use. Dosage: - Pre Harvesting Period: - 7 days. Pre-harvesting sprays: - Apply to/soil/soil containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist, spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote:** There is no specific antidote. Treat symptomatically and give supportive therapy. **First Aid :** 1. If person is conscious and alert rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person, Call the doctor, Don't induced vomiting until unless desired by attending physician. If, inhaled. Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. 3. In case of skin contact: Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact: Rinse gently with plenty of water at least 15 minutes. **Symptoms :** Poisoning may cause symptoms of subdued behavior, prostration, lethargy, piloerection, headache giddiness, vertigo, nausea, vomiting blurred vision, sweating, excessive lacrimation & salivation. **Recommendations :** Diafenthiuron 47% + Bifenthrin 9.4% SC is a suspension concentration containing Diafenthiuron 47% (a.i.) + Bifenthrin 9.4% (a.i.) in the formulation. It is a broad spectrum contact and stomach insecticide used for the control of Thrips, Leaf hoppers, White fly & Aphids in Cotton and Thrips & Aphids in Chili. **Caution:** This product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture. Not to be used on crops other than specified on this label/leaflet.



# Demand

## Diafenthiuron 47% + Bifenthrin 9.4% SC

### INSECTICIDE

<b>Chemical Composition :</b>	
Diafenthiuron a.i.	47.00% w/w,
Bifenthrin a. i.	9.40% w/w,
Polydimethylsiloxane emulsion Antifoam	0.63% w/w,
Polydimethylsiloxane oil Antifoam	0.33% w/w,
Isothiazolinones Preservative	0.19% w/w,
Butyl Block Copolymer Dispersant	1.51% w/w,
Isotridecyl alcohol ethoxylate Surfactant	2.36% w/w,
Acrylic copolymer solution Dispersant	4.72% w/w,
Propylene Glycol Antifreeze	2.92% w/w,
Xanthan gum Viscosity modifier	0.09% w/w,
Water : Solvent	Q.S. %,
<b>Total :</b>	<b>100.000 % w/w.</b>



A product of Aegis



Regn.No / रजि. नं. : **CIR-168863/2020-DIAFENTHIURON+ BIFENTHRIN (SC) (143)-668**

Mfg.Lic.No / उत्पादक लायसेंस. न. : **019/TS-IML/2016 Dt. 23-7-2016**

Manufactured & Marketed by :



# Aegis™

Agro Chemicals India Private Limited  
AN ISO 9001 : 2015 CERTIFIED COMPANY  
# 237, Main Road, Mallepally (V), Kondapur (M),  
Sangareddy Dist - 502295. Telangana State.

In Case of any Consumer Complaints Contact, "Manager Customer Care" Call No.: + 91 84980 99536  
Email : [aegisagrochemicals@gmail.com](mailto:aegisagrochemicals@gmail.com)  
Website : [www.aegisagro.in](http://www.aegisagro.in)  
(Address as of Aegis Agro Sangareddy Dist, T.S.)

## డిమాండ్ - डायफेन्थिउरोन ४७% + बाइफेन्थ्रिन ९.४% भार/भार एस.सी. (कीटनाशक)

**रासायनिक संघटक :** डायफेन्थिउरोन a.i. ... ४७.००% भार/भार, बाइफेन्थ्रिन a.i. ... ९.४०% भार/भार, पॉलिडिमिथिलसिलॉक्सानेमी एमलूशन a. ... ०.६३% भार/भार, पॉलिडिमिथिलसिलॉक्सानेमी एंटीफोम a. ... ०.३३% भार/भार, आइसोथायज़ोलीनोनेस प्रेसर्वेटिव a. ... ०.१९% भार/भार, ब्यूटिल ब्लॉक कोपॉलीमर डिस्पर्सन्ट a. ... १.५१% भार/भार, इसोट्रीडेसिल अल्कोहॉल एथॉक्सीलेट सर्फैक्टन्ट a. ... २.३६% भार/भार, एक्रिलिक कोपॉलीमर सॉल्यूशन डिस्पर्सन्ट a. ... ४.७२% भार/भार, प्रॉपिलीन ग्लायकोल अन्टिफ्रीज a. ... २.९२% भार/भार, खान्थान गुम विसकोसिटी मॉडिफायर a. ... ०.०९% भार/भार, वाटर सॉल्वन्ट a. ... Q.S., Total ... १००.०००% भार/भार. **उपयोग :** Please read enclosed leaflet before use. **Pre Harvesting Period :** - 7 days. **Pre-harvesting sprays :** - Apply to/soil/soil containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist, spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** There is no specific antidote. Treat symptomatically and give supportive therapy. **First Aid :** 1. If person is conscious and alert rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person, Call the doctor, Don't induced vomiting until unless desired by attending physician. If, inhaled. Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. 3. In case of skin contact: Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact: Rinse gently with plenty of water at least 15 minutes. **Symptoms :** Poisoning may cause symptoms of subdued behavior, prostration, lethargy, piloerection, headache giddiness, vertigo, nausea, vomiting blurred vision, sweating, excessive lacrimation & salivation. **Recommendations :** Diafenthiuron 47% + Bifenthrin 9.4% SC is a suspension concentration containing Diafenthiuron 47% (a.i.) + Bifenthrin 9.4% (a.i.) in the formulation. It is a broad spectrum contact and stomach insecticide used for the control of Thrips, Leaf hoppers, White fly & Aphids in Cotton and Thrips & Aphids in Chili. **Caution:** This product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture. Not to be used on crops other than specified on this label/leaflet.

## డిమాండ్ - డయాఫెన్థియూరాన్ 47% + బైఫెన్థ్రిన 9.4% ఎస్.సి (కీటకనాశన)

**రాసాయనిక సంఘటక :** డయాఫెన్థియూరాన్ a.i. ... 47.00% భార/భార, బైఫెన్థ్రిన a.i. ... 9.40% భార/భార, పాలిడిమిథిలసైలొకానెముల్షన్ ఐంటిఫోమ్ a. ... 0.63% భార/భార, పాలిడిమిథిలసైలొకానెముల్షన్ ఐంటిఫోమ్ a. ... 0.33% భార/భార, ఐసోథాజోలిన్సెస్ ప్రెసర్వేటివ్ a. ... 0.19% భార/భార, బ్యూటిల్ బ్లాక్ కోపాలిమర్ డిస్పర్సెంట్ a. ... 1.51% భార/భార, ఐసోట్రీడెసిల్ అల్కహాల్ ఎథాక్సిలేట్ సర్ఫాక్టెంట్ a. ... 2.36% భార/భార, అక్రిల్ కోపాలిమర్ సొల్యూషన్ డిస్పర్సెంట్ a. ... 4.72% భార/భార, ప్రొపిలీన్ గ్లైకోల్ అంటిఫ్రీజ్ a. ... 2.92% భార/భార, ఖాన్తాన్ గుమ్ వీజికోసిటీ మోడిఫయర్ a. ... 0.09% భార/భార, వాటర్ సాల్వెంట్ a. ... Q.S., Total ... 100.000% భార/భార. **ఉపయోగం :** Please read enclosed leaflet before use. **Pre Harvesting Period :** - 7 days. **Pre-harvesting sprays :** - Apply to/soil/soil containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist, spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** There is no specific antidote. Treat symptomatically and give supportive therapy. **First Aid :** 1. If person is conscious and alert rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person, Call the doctor, Don't induced vomiting until unless desired by attending physician. If, inhaled. Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. 3. In case of skin contact: Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact: Rinse gently with plenty of water at least 15 minutes. **Symptoms :** Poisoning may cause symptoms of subdued behavior, prostration, lethargy, piloerection, headache giddiness, vertigo, nausea, vomiting blurred vision, sweating, excessive lacrimation & salivation. **Recommendations :** Diafenthiuron 47% + Bifenthrin 9.4% SC is a suspension concentration containing Diafenthiuron 47% (a.i.) + Bifenthrin 9.4% (a.i.) in the formulation. It is a broad spectrum contact and stomach insecticide used for the control of Thrips, Leaf hoppers, White fly & Aphids in Cotton and Thrips & Aphids in Chili. **Caution:** This product is toxic to fish and aquatic invertebrates and thus the products containing the molecules may avoided near aquaculture. Not to be used on crops other than specified on this label/leaflet.

### For Agricultural Use Only

Keep in cool, dry place away from heat and open flame. రంకి, బాక జగహు మే గమ్నీ ఓరైరు ఖులీ లీ సె దూర రఖిం. **EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE**

