

**Pretilachlor 30.7 % w/w EC (Herbicide)**

Pretilachlor 30% w/w EC is a safe, non-phytotoxic and selective pre-emergence with excellent action against annual grasses, sedges and weeds. It contains 307 g. Pretilachlor (2,6-diethyl-n-(2-propoxyethyl)-chloroacetanilide) per kg. of emulsifiable concentrate (EC) formulation (w/w). This is equivalent to 300 g. Pretilachlor in a litre of product (w/w)

**Recommendation :**

Crop(s)	Common	Dosage/HA Al(g)	Dilution Formulation in Water (ml)	Waiting Period in Water between last spray to harvest (in days)
Direct seeded	1. Echinochloa crusgalli	450-600	1500-2000	500
Rice under puddled condition	2. Echinochloa coloum 3. Cyperus difformis 4. Cyperus iria			110

**Direction of Use :** Measure out required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for high volume application thorough knapsack sprayers with flat fan flood jet nozzle.

**Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

**Symptoms of Poisoning :** Sedation, dyspnoea, exophthalmos, abnormal posture may occur.

**First Aid :** 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of water and soap. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.

**Antidote :** No specific antidote is known. Treat symptomatically.

**Dispose of Used Container :** 1) It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution. 2.) The used packages shall not be left outside to prevent their re-use. 3.) The packages shall be broken and buried away from habitation.

**Storage Conditions :** 1.) The package containing insecticide shall be stored articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticides. 2.) The rooms or premises means for storing insecticides shall be well built, dry, well-lit and ventilated and of sufficient dimensions.

**Chemical Composition :**

Pretilachlor a.i. (min.)	30.70 % w/w
Safener-Fenclorim	7.67 % w/w
Emulsifying agent Caster oil polyglycol Ether 36-37	7.00 % w/w
Emulsifying agent Liner alkyl benzene	5.00 % w/w
sulfonic acid Calcium salt	
Solvents-Mixture of aromatic Hydrocarbon	Q.S. %
Total	100.00 % w/w

**Caution :** Not to be used on crops other than specified on this label / leaflet.

**प्रेटिलाक्लोर ३०.७ प्रतिशत ई.सी.**

**(खरपतवारनाशक)**

प्रेटिलाक्लोर ३०.७ प्रतिशत व/व ई.सी. या प्रेटिलाक्लोर ३० प्रतिशत डब्ल्यू/बी एक घास उगने से पूर्व का खरपतवार नाशक है जो घासों, मोथा खरपतवारों के नियंत्रण के लिए इस्तेमाल करते हैं। इसमें घुलनशील कॉन्सट्रेंट (ई.सी.) रचना के प्रत्येक लिटर में ३०७ ग्राम प्रेटिलाक्लोर (२-६-डायइथाइलएन-२-प्रोपॉक्सीइथाइल-क्लोरोअसेटानीलाइड) किलो सामिलित है (व/व) यह एक लिटर (डब्ल्यू/बी) में ३०० ग्राम प्रेटिलाक्लोर के बराबर होता है।

**उपयोग :**

फसल	कौट के नाम	प्रति हेक्टेयर मात्रा स.त्व. (ग्रा.)	संरचना (मि.ली.)	पानी की मात्रा	अंतिम छिड़काव तथा फसल कान्ते के बीच अंतराल (दिनों में)
तेल लगाकर धान की सीधी कृषिसमूची	१. समाघास-एकिकोकोआ	४५०-६००	१५००-२०००	५००	११०

२. सावन दुनिया घास-एकिकोकोआ कोलोनाम  
३. छठीमाही मोथा-सैरस  
४. वार्षिक मोथा-सैरस इरिया

**उपयोग के लिए निर्देश :** उत्पाद की वांछित मात्रा लीनिए और उसे थोड़े से पानी के साथ अच्छी तरह से मिलाइए। नैपसेक स्प्रेयर फिटेड फ्लैट फैन फ्लज जेट नोजल आदि से बड़ी मात्रा के लिए निर्दिष्ट मात्रा का बाकी पानी भी अच्छी तरह से हिला हिलाकर मिला लीनिए।

**प्रयोगकर्ताओं के लिए सावधानियाँ :** १. खाद्यसामग्री, खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रहें। २. भुंज, त्वचा और आँखों के संपर्क से बचाएँ। ३. छिड़काव की वायु को सांस द्वारा अंदर जाने से बचाएँ। हवा की दिशा में छिड़काव करें। ४. छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह से धोएँ। ५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नही चाहिए। ६. छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।

**विष के लक्षण :** चुस्ती, सांस लेने में परेशानी, आँखों का बाहर को आना, असामान्य अवस्था हो सकती है।

**प्राथमिक चिकित्सा :** १. यदि निगल जाए तो गले के पीछे गुदगुदी करके उल्टी कराएँ यह क्रिया तब तक दोहराते रहें जब तक उल्टी द्वारा निकला पदार्थ साफ न हो जाए। यदि मरीज बेहोश हो तो उल्टी न कराएँ। २. यदि कपड़े और त्वचा दूषित हो जाए तो कपड़ों उतार दें और दूषित त्वचा को काफी मात्रा में साबुन और पानी से धोएँ। ३. यदि आँखें दूषित हो जाएं तो उनको काफी मात्रा में सलेन / साफ पानी से लगभग १०-१५ मिनट तक धोएँ। ४. यदि सांस द्वारा अंदर गया हो तो रोगी को शुद्ध हवा में ले जाएँ।

**विषनाशक :** कोई विशिष्ट विषनाशक नहीं है। लक्षणानुसार इलाज करें।

**खाली डिब्बों का निपटारा :** १. क्रीटनाशक निर्माताओं या उपयोगकर्ता का कर्तव्य है कि खाली डिब्बों को अच्छी तरह से तोड़ फोड़कर आबादी से दूर ज़मीन में गाड़ देना चाहिए। २. उपयोग के बाद खाली डिब्बों को खुला हुआ बाहर न छोड़ें और न ही खाद्य पदार्थ व दूसरी चीज़ें रखने के काम में न लाएँ। ३. बची हुई क्रीटनाशक तथा यंत्रों के धोवन को इस प्रकार निपटाएँ कि जिससे आसपास के वातावरण तथा पीने का पानी विषैला न हो।  
**संग्रहण की शर्तें :** १. क्रीटनाशक रखे हुए डिब्बों आदि ऐसे कमरों या अन्य वस्तुओं के रखे जाने वाले कमरे या जगह से दूर हों या अलमारी में ताला चाबी लगाकर प्रमाण व प्रकार के हिसाब से रखें। २. जिस कमरे या अलमारी में क्रीटनाशक या भंडारण करना हो वह अच्छी तरह बना सूखा, प्रकाशयुक्त, हवादार तथा पर्याप्त लंबा चौड़ा होना चाहिए जिससे कि क्रीटनाशक के भाप से प्रदूषण होने का डर न हो।

**रासायनिक संरचना :**

प्रेटिलाक्लोर (सक्रिय तत्व)	३०.७० % भार/भार
सुरक्षित तत्व फेनक्लोरीम	७.६७ % भार/भार
इमल्सिफाइंग तत्व फेस्टर ऑयल पॉलीग्लायकोल इथर ३६-३७	७.०० % भार/भार
इमल्सिफाइंग तत्व लिनियर अल्कील बेंज़ीन सल्फोनिक एसिड कैल्शियम सॉल्ट	५.०० % भार/भार
सॉल्वेंट्स अरोमैटिक हाइड्रोकार्बन का मिश्रण	पर्याप्त मात्रा %
योग :	१००.०० % भार/भार

**चेतावनी :** इस लेबल/हस्तपत्रिका मे दी गई फसलो के अलावा अन्य कोई भी फसल पर इसका उपयोग ना करें।

**प्रेटिलाक्लोर 30.7% EC (Herbicide)**

प्रेटिलाक्लोर 30% w/w EC is a safe, non-phytotoxic and selective pre-emergence with excellent action against annual grasses, sedges and weeds. It contains 307 g. Pretilachlor (2,6-diethyl-n-(2-propoxyethyl)-chloroacetanilide) per kg. of emulsifiable concentrate (EC) formulation (w/w). This is equivalent to 300 g. Pretilachlor in a litre of product (w/w)

**Recommendation :**

Crop(s)	Common	Dosage/HA Al(g)	Dilution Formulation in Water (ml)	Waiting Period in Water between last spray to harvest (in days)
Direct seeded	1. Echinochloa crusgalli	450-600	1500-2000	500
Rice under puddled condition	2. Echinochloa coloum 3. Cyperus difformis 4. Cyperus iria			110

**Direction of Use :** Measure out required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for high volume application thorough knapsack sprayers with flat fan flood jet nozzle.

**Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

**Symptoms of Poisoning :** Sedation, dyspnoea, exophthalmos, abnormal posture may occur.

**First Aid :** 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of water and soap. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.

**Antidote :** No specific antidote is known. Treat symptomatically.

**Dispose of Used Container :** 1) It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution. 2.) The used packages shall not be left outside to prevent their re-use. 3.) The packages shall be broken and buried away from habitation.

**Storage Conditions :** 1.) The package containing insecticide shall be stored articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticides. 2.) The rooms or premises means for storing insecticides shall be well built, dry, well-lit and ventilated and of sufficient dimensions.

**Chemical Composition :**

Pretilachlor a.i. (min.)	30.70 % w/w
Safener-Fenclorim	7.67 % w/w
Emulsifying agent Caster oil polyglycol Ether 36-37	7.00 % w/w
Emulsifying agent Liner alkyl benzene	5.00 % w/w
sulfonic acid Calcium salt	
Solvents-Mixture of aromatic Hydrocarbon	Q.S. %
Total	100.00 % w/w

**Caution :** Not to be used on crops other than specified on this label / leaflet.



**SUNRICE N Pretilachlor 30.7 % w/w EC (Herbicide)**

**సన్ రైస్ ఎస్ ప్రెటిలాక్లోర్ 30.7% EC (కలుపునాశని) సనరాइस एन**

ప్రెటిలాक्లोर ३०.७% ई.सी.(खरपतवारनाशक)

**सनराइस एन**

**ಪ್ರೆಟಿಲಾಕ್ಲೋರ್ 30.7% EC (ಕಳೆನಾಶಕ) Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".**

**INSTRUCTIONS FOR USE**

KEEP OUT OF THE REACH OF CHILDREN  
ಪಿಲ್ಲಲಕು ದೂರಮುಗಾ ఉంచండి.

बच्चों से दूर रखिए।  
ಮಕ್ಕಳಿಗೆ ಸಿಗದಂತೆ ದೂರವಿಡಿ.



READ THE ENTIRE LABEL AND LEAFLET BEFORE USE

ఉపయోగించుటకు ముందు లేబిల్‌ను మరియు కరవిత్రమును జాగ్రత్తగా చదువవలయును.

इस्तेमाल करने से पहले सारी पर्वी पूरी तरह पढ़िये।

Manufactured & Marketed by :



**Aegis™**  
Agro Chemicals India Private Limited

# 237, Main Road, Mallepally (V), Kondapur (M), Sangareddy Dist - 502295. Telangana State.  
Customer Care Manager No. +91 8498099536  
Email: aegisagrochemicals@gmail.com / www.aegisagro.com

Mfg. Lic. No. 019/TS-IML/2016 dated 23.07.2016  
Regn. No.: CJR-1647/19/2019-Pretilachlor (EC) (399)-918

For Agriculture use only. केवल कृषि उपयोग के लिए।



