

Read enclosed leaflet before use. उपयोग से पहले संलग्न लीफलेट पढ़ें। ఉపయోగమునకు ముందు జతపరచిన కరపత్రమును చదవండి.



PRETILACHLOR 37% w/w EW

SUNRICE Plus

Selective Herbicide

Chemical Composition: Pretilachlor a.i. ... 37.00% w/w, Surfactants: Naphthalene sulfonic acid formaldehyde condensate, sodium salt ... 1.00% w/w, Polypropylene-polyethylene copolymer ... 1.00% w/w, Auxiliary substances (1,2-propylene glycol) ... 5.00% w/w, 1,2-benzisothiazolone (2H) one ... 0.20% w/w, Polystyrene ... 1.50% w/w, Heteropolysaccharide ... 0.10% w/w, Carrier Water ... Q.S.%w/w, Total ... 100.00% w/w. **Direction of Use:** Please see enclosed leaflet. **Precautions:** Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eye and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the herbicides. Also wash the contaminated clothes. The repeated use of any herbicide or with herbicide with the same mode of action could lead to selection of resistant weed. Certain agronomic practices may reduce the likelihood that resistant weeds will arise. In fields where resistant weeds are suspected, integrate strategies that are available to manage such population. For specific recommendation, please contact our local representative. **Antidote:** No specific antidote is known. Apply symptomatic therapy. **First Aid:** Remove the affected person to a well-ventilated area or fresh air and protect him from undercooling. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact: Rinse eyes with clean water for several minutes. In case in injection: Repeatedly administer medicinal charcoal in a large quantity of water. Get the coming of the medical doctor immediately. **Symptoms:** No case of human poisoning is on record. In laboratory animals, symptoms such as diarrhoea, decrease in spontaneous movement, tremors, clonic convulsions and ruffed fur were observed. **Recommendations:** Pretilachlor 37% w/w EW is a selective pre-emergence herbicide that is recommended for the control of grasses sedges and some broad leaf weeds in transplanted rice. It contains 37 % of the active ingredient pretilachlor which is equal to 400 g per litre of the formulation. **CAUTION: "Not to Be Used on Crops Other Than Specified on This Label/Laeflet".**

ప్రెటిలాక్లోర్ 37% ఎంఎంఎంఎంఎంఎం కలపడానికి

రసాయన కూతాభావం: ప్రెటిలాక్లోర్ 37% ... 37.00% బా/బ, సర్ఫెక్టివ్లు: నాఫ్థాలేన్ సల్ఫోనిక్ ఆమ్ల ఫార్మలదైడ్ కండెన్సేట్, సోడియం సాల్ట్ ... 1.00% బా/బ, పాలిప్రోపిలీన్-పాలిఎథిలీన్ కోపాలిమర్ ... 1.00% బా/బ, ఆసిజుల్యు సబ్స్టాన్సులు (1,2-ప్రోపిలీన్ గ్లికాల్) ... 5.00% బా/బ, 1,2-బెన్జిసోథియాజోన్ (2H) ఒన్ ... 0.20% బా/బ, పోలీస్టరేన్ ... 1.50% బా/బ, హెటెరోపాలిసాకారిడ్ ... 0.10% బా/బ, కేరర్ వాటర్ ... Q.S.%బా/బ, టొటల్ ... 100.00% బా/బ. **ఉపయోగ దిశానిర్దేశం:** Please see enclosed leaflet. **పాఠానిర్దేశం:** Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eye and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the herbicides. Also wash the contaminated clothes. The repeated use of any herbicide or with herbicide with the same mode of action could lead to selection of resistant weed. Certain agronomic practices may reduce the likelihood that resistant weeds will arise. In fields where resistant weeds are suspected, integrate strategies that are available to manage such population. For specific recommendation, please contact our local representative. **Antidote:** No specific antidote is known. Apply symptomatic therapy. **First Aid:** Remove the affected person to a well-ventilated area or fresh air and protect him from undercooling. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact: Rinse eyes with clean water for several minutes. In case in injection: Repeatedly administer medicinal charcoal in a large quantity of water. Get the coming of the medical doctor immediately. **Symptoms:** No case of human poisoning is on record. In laboratory animals, symptoms such as diarrhoea, decrease in spontaneous movement, tremors, clonic convulsions and ruffed fur were observed. **Recommendations:** Pretilachlor 37% w/w EW is a selective pre-emergence herbicide that is recommended for the control of grasses sedges and some broad leaf weeds in transplanted rice. It contains 37 % of the active ingredient pretilachlor which is equal to 400 g per litre of the formulation. **CAUTION: "Not to Be Used on Crops Other Than Specified on This Label/Laeflet".**



రసాయనిక సంరచన: ప్రెటిలాక్లోర్ (37%) ... 37.00% బా/బ, సర్ఫెక్టివ్లు: నాఫ్థాలేన్ సల్ఫోనిక్ ఆమ్ల ఫార్మలదైడ్ కండెన్సేట్, సోడియం సాల్ట్ ... 1.00% బా/బ, పాలిప్రోపిలీన్-పాలిఎథిలీన్ కోపాలిమర్ ... 1.00% బా/బ, ఆసిజుల్యు సబ్స్టాన్సులు (1,2-ప్రోపిలీన్ గ్లికాల్) ... 5.00% బా/బ, 1,2-బెన్జిసోథియాజోన్ (2H) ఒన్ ... 0.20% బా/బ, పోలీస్టరేన్ ... 1.50% బా/బ, హెటెరోపాలిసాకారిడ్ ... 0.10% బా/బ, కేరర్ వాటర్ ... Q.S.%బా/బ, టొటల్ ... 100.00% బా/బ. **ఉపయోగ దిశానిర్దేశం:** Please see enclosed leaflet. **పాఠానిర్దేశం:** Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eye and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the herbicides. Also wash the contaminated clothes. The repeated use of any herbicide or with herbicide with the same mode of action could lead to selection of resistant weed. Certain agronomic practices may reduce the likelihood that resistant weeds will arise. In fields where resistant weeds are suspected, integrate strategies that are available to manage such population. For specific recommendation, please contact our local representative. **Antidote:** No specific antidote is known. Apply symptomatic therapy. **First Aid:** Remove the affected person to a well-ventilated area or fresh air and protect him from undercooling. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact: Rinse eyes with clean water for several minutes. In case in injection: Repeatedly administer medicinal charcoal in a large quantity of water. Get the coming of the medical doctor immediately. **Symptoms:** No case of human poisoning is on record. In laboratory animals, symptoms such as diarrhoea, decrease in spontaneous movement, tremors, clonic convulsions and ruffed fur were observed. **Recommendations:** Pretilachlor 37% w/w EW is a selective pre-emergence herbicide that is recommended for the control of grasses sedges and some broad leaf weeds in transplanted rice. It contains 37 % of the active ingredient pretilachlor which is equal to 400 g per litre of the formulation. **CAUTION: "Not to Be Used on Crops Other Than Specified on This Label/Laeflet".**



Regn.No / रजि नं. :
CIR-164729/2019-PRETIACHLOR (EW) (399)-919
Mfg.Lic.No / उत्पादक लायसेंस नं. : 019/TS-IML/2016 Dt. 23-7-2016

Manufactured & Marketed by :
Aegis™
Agro Chemicals India Private Limited
AN ISO 9001 : 2015 CERTIFIED COMPANY
237, Main Road, Mallepally (V), Kondapur (M),
Sangareddy Dist - 502295. Telangana State.

In Case of any Consumer Complaints Contact,
"Manager Customer Care" Cell No.: +91 8498099536
Email: aegisagrochemicals@gmail.com / Website : www.aegisagro.in
(Address as of Aegis Agro Sangareddy Dist, T.S.)

- Net Content : 600 ml
- उत्तशुद्ध सामग्री :
- Batch No :
- बैच नं. :
- Mfg.Date :
- उत्पादन तिथि :
- Exp.Date :
- निष्पन्नावी होने का तिथि:
- Max.Retail.Price ₹ :
- अधिकतम खुदरा मूल्य ₹ :
- (Inclusive of all taxes)
- (सभी करों सहित)

For Agricultural Use Only
Keep in cool, dry place away from heat and open flame. ठंडी, शुष्क जगह में बंद और खुली लौ से दूर रखें.
EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE
[Icons for safety instructions: gloves, goggles, mask, boots, etc.]