

Read enclosed leaflet before use. **ಪ್ರಯೋಗ ತಿಳಿದುಕೊಳ್ಳುವ ಮೊದಲು ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ. **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ. **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ. **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ. **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.

ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ. **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.** **ಪ್ರಯೋಗ ಮುಂದುವರಿಸುವ ಮುನ್ನ ಓದಿ.**

In Case of any Consumer Complaints Contact, "Manager Customer Care" Cell No., +91 84980 99536
 Email : aegisagrochemicals@gmail.com | Website : www.aegisagro.in
 AEGIS AGRO CHEMICALS PRIVATE LIMITED
 # 237, Main Road, Malappally (V), Kondapur (M), Sangareddy Dist - 502295, Telangana State

Aegis
Sunzole
Propiconazole 25% EC

SYSTEMIC FUNGICIDE



PROPICONAZOLE 25% EC - SYSTEMIC FUNGICIDE
 Chemical Composition : Propiconazole a.i. ... 25.0% m/m, Emulsifying Agent (Ethoxylated vegetable oil or equivalent) ... 10.0% m/m, Surfactant / wetting Agent (Alkyl aryl sulfonate of calcium of Ca/Na/ing salt or equivalent) ... 3.0% m/m, Cyclohexanone ... 25.0% m/m, Organic solvent-CIX Q.S to make 100%, Total ... 100.0% m/m, Direction of Use : Wear protective clothing, headdress and face mask. For crops and doses, see leaflet enclosed. Precautions: 1. Keep away from foodstuffs, empty food containers and animal feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation of the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. First Aid: 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomit us is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled take in patient in fresh air. Antidote: No antidote is known, treat symptomatically. Symptoms: Sedation, dyspnoea, abnormal posture may occur. Recommendation : Propiconazole 25% EC is a Systemic Fungicide. It is recommended to control karnal bunt & rusts in Wheat, Sheath blight in rice & leaf spots, rust in groundnut, blister blight of tea, rust of soyabean, sigatoka leaf spot of banana and leaf rust of coffee. Caution: Not to be used on crops other than specified on this label/leaflet.



Regn.No / ರಿಜಿ ನಂ. : **CIR-111302/2014-Propiconazole (EC) (344)-35**
 Mfg.Lic.No / ಉತ್ಪಾದನಾ ಪರಿಮಾಣ ಪತ್ರ : **019/TS-IML/2016 Dt. 23-7-2016**
 ಮಂಜೂರುಪಡಿಸಿದ ದಿನಾಂಕ.

Net Content : **1L**

Batch No :
 Mfg.Date :
 Exp.Date :
 Max.Retail.Price ₹ :
 (Inclusive of all taxes)
 Unit Sale Price ₹ per ml :

EMPTY PACKAGES / CONTAINERS SHOULD BE DESTROYED AFTER USE

Keep in cool, dry place away from heat and open flame. ಓದಿ, ಶುಭ ಜಾಗರಣೆ ಇರಲಿ. ಉಷ್ಣತೆಯಿಂದ ದೂರವಿಡುವುದು ಮತ್ತು ತೆರೆದ ಸ್ಥಳದಿಂದ ದೂರವಿಡುವುದು.

For Agricultural Use Only