

Read enclosed leaflet before use. **उपयोग से पहले संलग्न लीफलेट पढ़ें।** ఉపయోగముచేసే ముందు ఇతరచరచిన కరపత్రమును చదవండి.

**VIJAYA - Penoxsulam 1.02% + Cyhalofopbutyl 5.1% OD (Herbicide)**

**Chemical Composition :** 1 Penoxsulam a.i. : 1.02 % w/w, 2 Cyhalofop-butyl a.i. 5.1 % w/w, 3 Methyl soyate : 27.6 % w/w, 4 Alkylphenyl alkoxylate : 38.5 % w/w, 5 Polydimethylsiloxane : 0.001 % w/w, 6 Propylene glycol : 0.06 % w/w, 7 1,2-Benzisothiazol-3-one : 0.0004 % w/w, 8 Methyl-naphthalene sulfonic acid/formaldehyde polymer sodium salt : 0.08 % w/w, 9 Methyl oxirane, block polymer : 0.02 % w/w, 10 Alkyl aryl sulfonate : 1.85 % w/w, 11 Oleic acid : 0.57 % w/w, 12 Citric acid : 0.04 % w/w, 13 Silica dimethyl sillylate : 2.28 % w/w, 14. Silicon dioxide : 0.46 % w/w, 15 Acrylic copolymer blend : 0.23 % w/w, 16 Cellulose : 0.02 % w/w, 17 Xanthan gum : 0.002 % w/w, 18 Water : 0.5 % w/w, 19 Sodium naphtha (petroleum) heavy aromatic : C.S. : Total 100 % w/w. **Direction Of Use :** Please read enclosed leaflet before use. **Precautions :** Keep away from foodstuffs, empty foodstuffs, containers and animals/food. Avoid contact with mouth, eyes and skin. Avoid inhalation the spray mist. Spray in the direction of wind. Wear protective clothing like apron, gloves, face shield and boot while mixing and spraying. Wash thoroughly the contaminated clothes and parts of the body after spraying. Do not smoke, drink, eat and chew anything while spraying. Wash the affected areas before eating, drinking or smoking, avoid contamination of environment and water. **Antidote :** No specific antidote available, treat symptomatically. **First Aid :** 1. If inhaled: Move person to fresh air. If not breathing give artificial respiration which includes mouth to mouth breathing and contact a physician. 2. Skin contact: Washoff soap & plenty of water, if itching, redness, pain persists contact doctor/physician. 3. Eye contact: Flush eye with water for at least 15 minutes. If redness, itching or pain or any other symptoms, consult an eye-specialist/physician. 4. If swallowed: Do not induce vomiting until and unless desired by attending qualified doctor and do not give anything by mouth if person is unconscious. 5. If person is alert, rinse mouth with water and give 1-2 glass of water to drink & if needed consult a physician. **Symptoms :** Mild eye irritant and moderately irritant to skin. **Recommendations :** Penoxsulam 1.02% w/w + Cyhalofop-butyl 5.1% w/w OD is a broad spectrum herbicide containing 1 g/l of the active ingredient Penoxsulam and 50 g/l of the active ingredient Cyhalofop butyl. It provides effective control of weeds in Direct Seeded Rice and Transplanted Rice as detailed in recommendation of use. **Caution: "Not To Be Used on Crops Other Than Specified on This Label/Leaflet".**

**విజయా - పెనోక్సులం 1.02% + సాయహలోఫ్-బుటైల్ 5.1% ఓడి (ఊరపతవారణాశకం)**

**రసాయనిక సంకేతం :** 1 పెనోక్సులం a.i. : 1.02 % w/w, 2 సాయహలోఫ్-బుటైల్ a.i. : 5.1 % w/w, 3 మెథిల్ సోయేట్ : 27.6 % w/w, 4 ఆల్కైల్ ఫీనిల్ ఆల్కైల్ సల్ఫోనాట్ : 38.5 % w/w, 5 పోలీడైమెథిల్ సెలొక్సాన్ : 0.001 % w/w, 6 ప్రొపైలీన్ గ్లైకోల్ : 0.06 % w/w, 7 1,2-బెన్జిసోథియాజోల్-3-ఓన్ : 0.0004 % w/w, 8 మెథిల్-నాఫ్థాలీన్ సల్ఫోనిక్ ఆసిడ్/ఫార్మలడిహైడ్ పాలిమర్ సోడియం సాల్ట్ : 0.08 % w/w, 9 మెథిల్ ఆక్సైరేన్, బ్లౌక్ పాలిమర్ : 0.02 % w/w, 10 ఆల్కైల్ ఆరిల్ సల్ఫోనాట్ : 1.85 % w/w, 11 ఆలీక్ ఆసిడ్ : 0.57 % w/w, 12 సిట్రిక్ ఆసిడ్ : 0.04 % w/w, 13 సిలికా డిమెథిల్ సెల్యులేట్ : 2.28 % w/w, 14. సిలికా డైఆక్సైడ్ : 0.46 % w/w, 15 ఆక్రిల్ కోపాలిమర్ బ్లెండ్ : 0.23 % w/w, 16 సెల్ల్యూజ్ : 0.02 % w/w, 17 ఖాంటాన్ గమ్ : 0.002 % w/w, 18 వాటర్ : 0.5 % w/w, 19 సోడియం నాఫ్థా (పెట్రోలియం) హెవీ అరోమాటిక్ : C.S. : Total 100 % w/w. **Direction Of Use :** Please read enclosed leaflet before use. **Precautions :** Keep away from foodstuffs, empty foodstuffs, containers and animals/food. Avoid contact with mouth, eyes and skin. Avoid inhalation the spray mist. Spray in the direction of wind. Wear protective clothing like apron, gloves, face shield and boot while mixing and spraying. Wash thoroughly the contaminated clothes and parts of the body after spraying. Do not smoke, drink, eat and chew anything while spraying. Wash the affected areas before eating, drinking or smoking, avoid contamination of environment and water. **Antidote :** No specific antidote available, treat symptomatically. **First Aid :** 1. If inhaled: Move person to fresh air. If not breathing give artificial respiration which includes mouth to mouth breathing and contact a physician. 2. Skin contact: Washoff soap & plenty of water, if itching, redness, pain persists contact doctor/physician. 3. Eye contact: Flush eye with water for at least 15 minutes. If redness, itching or pain or any other symptoms, consult an eye-specialist/physician. 4. If swallowed: Do not induce vomiting until and unless desired by attending qualified doctor and do not give anything by mouth if person is unconscious. 5. If person is alert, rinse mouth with water and give 1-2 glass of water to drink & if needed consult a physician. **Symptoms :** Mild eye irritant and moderately irritant to skin. **Recommendations :** Penoxsulam 1.02% w/w + Cyhalofop-butyl 5.1% w/w OD is a broad spectrum herbicide containing 1 g/l of the active ingredient Penoxsulam and 50 g/l of the active ingredient Cyhalofop butyl. It provides effective control of weeds in Direct Seeded Rice and Transplanted Rice as detailed in recommendation of use. **Caution: "Not To Be Used on Crops Other Than Specified on This Label/Leaflet".**


**విజయ - పెనోక్సులం 1.02% + సైహలోఫ్-బుటైల్ 5.1% ఓడి (ఊరపతవారణాశకం)**

**కాంపౌండ్ సామాగ్రి :** 1 పెనోక్సులం a.i. : 1.02% w/w, 2 సైహలోఫ్-బుటైల్ a.i. : 5.1% w/w, 3 మెథిల్ సోయేట్ : 27.6% w/w, 4 ఆల్కైల్ ఫీనిల్ ఆల్కైల్ సల్ఫోనాట్ : 38.5% w/w, 5 పోలీడైమెథిల్ సెలొక్సాన్ : 0.001% w/w, 6 ప్రొపైలీన్ గ్లైకోల్ : 0.06% w/w, 7 1,2-బెన్జిసోథియాజోల్-3-ఓన్ : 0.0004% w/w, 8 మెథిల్-నాఫ్థాలీన్ సల్ఫోనిక్ ఆసిడ్/ఫార్మలడిహైడ్ పాలిమర్ సోడియం సాల్ట్ : 0.08% w/w, 9 మెథిల్ ఆక్సైరేన్, బ్లౌక్ పాలిమర్ : 0.02% w/w, 10 ఆల్కైల్ ఆరిల్ సల్ఫోనాట్ : 1.85% w/w, 11 ఆలీక్ ఆసిడ్ : 0.57% w/w, 12 సిట్రిక్ ఆసిడ్ : 0.04% w/w, 13 సిలికా డిమెథిల్ సెల్యులేట్ : 2.28% w/w, 14. సిలికా డైఆక్సైడ్ : 0.46% w/w, 15 ఆక్రిల్ కోపాలిమర్ బ్లెండ్ : 0.23% w/w, 16 సెల్ల్యూజ్ : 0.02% w/w, 17 ఖాంటాన్ గమ్ : 0.002% w/w, 18 వాటర్ : 0.5% w/w, 19 సోడియం నాఫ్థా (పెట్రోలియం) హెవీ అరోమాటిక్ : C.S. : Total 100% w/w. **Direction Of Use :** Please read enclosed leaflet before use. **Precautions :** Keep away from foodstuffs, empty foodstuffs, containers and animals/food. Avoid contact with mouth, eyes and skin. Avoid inhalation the spray mist. Spray in the direction of wind. Wear protective clothing like apron, gloves, face shield and boot while mixing and spraying. Wash thoroughly the contaminated clothes and parts of the body after spraying. Do not smoke, drink, eat and chew anything while spraying. Wash the affected areas before eating, drinking or smoking, avoid contamination of environment and water. **Antidote :** No specific antidote available, treat symptomatically. **First Aid :** 1. If inhaled: Move person to fresh air. If not breathing give artificial respiration which includes mouth to mouth breathing and contact a physician. 2. Skin contact: Washoff soap & plenty of water, if itching, redness, pain persists contact doctor/physician. 3. Eye contact: Flush eye with water for at least 15 minutes. If redness, itching or pain or any other symptoms, consult an eye-specialist/physician. 4. If swallowed: Do not induce vomiting until and unless desired by attending qualified doctor and do not give anything by mouth if person is unconscious. 5. If person is alert, rinse mouth with water and give 1-2 glass of water to drink & if needed consult a physician. **Symptoms :** Mild eye irritant and moderately irritant to skin. **Recommendations :** Penoxsulam 1.02% w/w + Cyhalofop-butyl 5.1% w/w OD is a broad spectrum herbicide containing 1 g/l of the active ingredient Penoxsulam and 50 g/l of the active ingredient Cyhalofop butyl. It provides effective control of weeds in Direct Seeded Rice and Transplanted Rice as detailed in recommendation of use. **Caution: "Not To Be Used on Crops Other Than Specified on This Label/Leaflet".**

**విజయ - పెనోక్సులం 1.02% + సైహలోఫ్-బుటైల్ 5.1% ఓడి (ఊరపతవారణాశకం)**

**కాంపౌండ్ సామాగ్రి :** 1 పెనోక్సులం a.i. : 1.02% w/w, 2 సైహలోఫ్-బుటైల్ a.i. : 5.1% w/w, 3 మెథిల్ సోయేట్ : 27.6% w/w, 4 ఆల్కైల్ ఫీనిల్ ఆల్కైల్ సల్ఫోనాట్ : 38.5% w/w, 5 పోలీడైమెథిల్ సెలొక్సాన్ : 0.001% w/w, 6 ప్రొపైలీన్ గ్లైకోల్ : 0.06% w/w, 7 1,2-బెన్జిసోథియాజోల్-3-ఓన్ : 0.0004% w/w, 8 మెథిల్-నాఫ్థాలీన్ సల్ఫోనిక్ ఆసిడ్/ఫార్మలడిహైడ్ పాలిమర్ సోడియం సాల్ట్ : 0.08% w/w, 9 మెథిల్ ఆక్సైరేన్, బ్లౌక్ పాలిమర్ : 0.02% w/w, 10 ఆల్కైల్ ఆరిల్ సల్ఫోనాట్ : 1.85% w/w, 11 ఆలీక్ ఆసిడ్ : 0.57% w/w, 12 సిట్రిక్ ఆసిడ్ : 0.04% w/w, 13 సిలికా డిమెథిల్ సెల్యులేట్ : 2.28% w/w, 14. సిలికా డైఆక్సైడ్ : 0.46% w/w, 15 ఆక్రిల్ కోపాలిమర్ బ్లెండ్ : 0.23% w/w, 16 సెల్ల్యూజ్ : 0.02% w/w, 17 ఖాంటాన్ గమ్ : 0.002% w/w, 18 వాటర్ : 0.5% w/w, 19 సోడియం నాఫ్థా (పెట్రోలియం) హెవీ అరోమాటిక్ : C.S. : Total 100% w/w. **Direction Of Use :** Please read enclosed leaflet before use. **Precautions :** Keep away from foodstuffs, empty foodstuffs, containers and animals/food. Avoid contact with mouth, eyes and skin. Avoid inhalation the spray mist. Spray in the direction of wind. Wear protective clothing like apron, gloves, face shield and boot while mixing and spraying. Wash thoroughly the contaminated clothes and parts of the body after spraying. Do not smoke, drink, eat and chew anything while spraying. Wash the affected areas before eating, drinking or smoking, avoid contamination of environment and water. **Antidote :** No specific antidote available, treat symptomatically. **First Aid :** 1. If inhaled: Move person to fresh air. If not breathing give artificial respiration which includes mouth to mouth breathing and contact a physician. 2. Skin contact: Washoff soap & plenty of water, if itching, redness, pain persists contact doctor/physician. 3. Eye contact: Flush eye with water for at least 15 minutes. If redness, itching or pain or any other symptoms, consult an eye-specialist/physician. 4. If swallowed: Do not induce vomiting until and unless desired by attending qualified doctor and do not give anything by mouth if person is unconscious. 5. If person is alert, rinse mouth with water and give 1-2 glass of water to drink & if needed consult a physician. **Symptoms :** Mild eye irritant and moderately irritant to skin. **Recommendations :** Penoxsulam 1.02% w/w + Cyhalofop-butyl 5.1% w/w OD is a broad spectrum herbicide containing 1 g/l of the active ingredient Penoxsulam and 50 g/l of the active ingredient Cyhalofop butyl. It provides effective control of weeds in Direct Seeded Rice and Transplanted Rice as detailed in recommendation of use. **Caution: "Not To Be Used on Crops Other Than Specified on This Label/Leaflet".**

In case of any Consumer Complaints Contact : **"Manager Customer Care" Cell No. : +91 84980 99536**  
**Email : aegisagrochemicals@gmail.com | Website : www.aegisagro.in**  
**AEGIS AGRO CHEMICALS INDIA PRIVATE LIMITED**  
 # 237, Main Road, Mallepally (V), Kondapur (M), Sangareddy Dist - 502295, Telangana State



**VIJAYA**

**Penoxsulam 1.02% +  
Cyhalofop Butyl 5.1% OD  
HERBICIDE**


Net Content: 1L



Regn.No / రజన్ నం. : **CIR-314497/2023-Penoxsulam +  
Cyhalofop-Butyl (OD) (446)-126**

Mfg.Lic.No / उत्पादक लायसंस. नं. : **019/TS-IML/2016 Dt. 23-7-2016**

Manufactured & Marketed by :



Net Contents :  
 उतशुद्ध सामग्री : **1L**  
 Batch No :  
 बैच नं. :  
 Mfg.Date :  
 उत्पादन तिथि :  
 Exp.Date :  
 निष्पत्तितारी होने का तिथि :

Max.Retail.Price ₹ :  
 अधिकतम खुदरा मूल्य ₹ :  
 (Inclusive of all taxes)  
 (सभी करों सहित)  
 Unit Sale Price : Per ml ₹ :  
 (बुकिंग मूल्य: प्रति मिली.ल.) ₹ :

**For Agricultural Use Only**  
 Keep in cool, dry place away from heat and open flame. **दोषी, शुष्क जगह में गर्मी और खुली लौ से दूर रखें।**  
**EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE**

